

FEITH

Feith WebFCP
Version 9.2
Install Guide

Updated 10/3/2016

**Feith WebFCP
Version 9.2
Install Guide**

© Copyright 2016 Feith Systems and Software, Inc. All Rights Reserved. No part of this publication may be reproduced, transmitted, stored in a retrieval system, or translated into any language in any form by any means, without the written permission of Feith Systems and Software, Inc.

All information in this work is subject to change and reflects software current at the time of publication.

FDD and the FDD logo are trademarks of Feith Systems and Software, Inc. All other trademarks, product names and company names may be trademarks or registered trademarks of their respective holders.

Feith Systems and Software, Inc.
425 Maryland Drive
Fort Washington, PA 19034
Tel (215) 646-8000
Fax (215) 540-5495
www.feith.com

Table of Contents

Introduction	5
Requirements.....	5
Install WebFCP	6
Upgrade WebFCP.....	19
Confirm WebFCP is Running	20

Introduction

Use **WebFCP** to administer your FDD system by creating and managing users, groups, file cabinets, permissions, and more. When starting out, you need to define the file cabinet structures that will store your documents and outline the security scheme your organization needs.

All you need is a browser on your desktop to login to WebFCP and manage your FDD system. A desktop version of FCP that is installed on your computer is also available.

Requirements

WebFCP requires the following:


- Java Runtime Environment (JRE) version 7 or 8.
- Apache Tomcat. We recommend version 7.

Install WebFCP


To install WebFCP:

1. Run the WebFCP installation package.

You may receive a prompt asking if Tomcat is installed, even if Tomcat is already installed. Click **Yes**.




In the **Tomcat Home Directory** screen, browse to and select the Tomcat home directory (e.g. C:\Program Files (x86)\Apache Software Foundation\Tomcat 7.0).



Click **OK** to continue.

2. The **Welcome to the InstallShield Wizard for Feith Web Control Panel** opens. Click **Next** to continue.




3. On the **License Agreement** screen, click **Yes** if you agree to the terms.




4. On the **Location of Feith applications** screen, choose the folder where WebFCP will be installed. Click **Next** to continue.

The default location is **C:\Feith**. To choose another location, click **Browse** and select another folder.




5. On the **Select Program Folder** screen, choose where you want WebFCP in the Programs list. Click **Next** to continue.


The default program folder is **Feith Systems**.



6. On the **Select database type** screen, select the database you wish to use. Click **Next** to continue. Database choices are **Oracle** and **Microsoft SQLServer**.



7. On the **Database port** screen, enter the default database port number. (Oracle is typically "1521" and MS SQL Server is typically "1433".)



8. On the **Database host** screen, enter the name of the database host machine and click **Next** to continue.

Feith Web Control Panel - InstallShield Wizard

Database host


What is the hostname of the database server?

prodserv


InstallShield

< Back Next > Cancel


9. On the **Database instance** screen, enter the database instance name or SID of the FDD database and click **Next** to continue.




10. On the **Database display string** screen, enter the display name that will identify the database connection and click **Next** to continue.



11. On the **Start Copying Files** screen, click **Next** to start installing WebFCP.




13. On the **InstallShield Wizard Complete** screen, click **Finish** to complete the installation.



See **Feith WebFCP User Guide** for more information on administering your FDD database.

14. You are prompted as to whether you want to restart Tomcat. Click **Yes** to restart Tomcat or click **No** to leave Tomcat off for now.




Upgrade WebFCP

To upgrade WebFCP:


1. Run the WebFCP installation package. The **Welcome** screen opens.
2. Select **Repair** and click **Next** to continue.



The **Modify** option is not recommended as it does not upgrade existing components or features.



3. You may receive a prompt asking if Tomcat is installed, even if Tomcat is already installed. Click **Yes** and select the **Tomcat Home Directory**.
4. You receive a prompt asking you whether to replace the existing configuration file. Click **Yes** to replace the configuration file and enter new database connection information. Click **No** to keep the existing configuration file.



If you click **Yes** to replace the existing configuration file, you are prompted to select the database type, database port number, database server host name, database instance or SID, and database connection string. WebFCP is upgraded.

5. On the **Maintenance Complete** screen, click **Finish** to complete the upgrade.

See **Feith WebFCP User Guide** for more information on administering your FDD database.

6. You are prompted as to whether you want to restart Tomcat. Click **Yes** to restart Tomcat or click **No** to leave Tomcat off for now.

Confirm WebFCP is Running

To confirm WebFCP is running:

1. In the browser, navigate to WebFCP in your browser. An example URL:

`http://prodserv/fcp`

2. You are prompted with the WebFCP login screen, which confirms WebFCP is running.

